



# Datasheet

## CHROMIUM STYLE 105 Black HG

Part No: 610054



### About the product

Classical: 1 Pop: 1 Rock: 1 ... The CHROMIUM STYLE 105 is a real performer, expressing the feelings in the music. It owes its sheer dynamics to the advanced Balanced Distribution System. This distributes the power evenly among the three full-cone speakers and ensures a flawless bass experience. First-class complemented by the E-sense ribbon tweeter, the superb sound quality extends into the treble range. But the CHROMIUM STYLE 105 wouldn't be a speaker in this excellent series if it didn't package the technology so stylishly - that can truly be heard and seen.

### Technical data

<b>Type</b>	3-Way
<b>Principle</b>	Bassreflex
<b>Nominal/music power (W)</b>	150/220 W
<b>Frequency response (Hz)</b>	24...52.000 Hz
<b>Crossover frequency (Hz)</b>	400 / 2.800 Hz
<b>Sensitivity (dB/1W/1m)</b>	89 dB
<b>Impedance (Ohm)</b>	4
<b>Tweeter</b>	aluminium ribbon
<b>Midrange</b>	170 mm Ø Titanium-PP
<b>Woofer</b>	2x 170 mm Ø Titanium-PP

## Weight & dimensions

<b>Product-Size (HxWxD)</b>	112 x 23,2 x 37,9 cm
<b>Carton-Size (HxWxD)</b>	124,5 x 37,5 x 49,5 cm
<b>Net-Weight</b>	29 kg
<b>Gross-Weight</b>	32,98 kg



# Datasheet

## CHROMIUM STYLE 105 Black HG

Artikel Nr.: 610054



### Über das Produkt

Die CHROMIUM STYLE 105 ist ein echter Musterschüler, vergisst aber nie das Gefühl für die Musik. Die schiere Dynamik hat sie dem fortschrittlichen Balanced Distribution System zu verdanken. Diese verteilt die Leistung gleichmäßig auf die drei Vollkonus-Lautsprecher und sorgt für ein atemberaubendes Basserlebnis. Erstklassig ergänzt durch den E-sense Bändchenhohtöner, wird die superbe Klangqualität in den Hochtonbereich fortgeführt. Aber die CHROMIUM STYLE 105 wäre kein Lautsprecher dieser exzellenten Serie, wenn sie die Technik nicht so stilvoll verpacken würde. Das kann sich wahrlich hören und sehen lassen!

### Technische Daten

<b>Typ</b>	3-Wege
<b>Prinzip</b>	Bassreflex
<b>Nenn-/Musikbelastbarkeit (W)</b>	150/220 W
<b>Übertragungsbereich (Hz)</b>	24...52.000 Hz
<b>Übergangsfrequenz (Hz)</b>	400 / 2.800 Hz
<b>Empfindlichkeit (dB/1W/1m)</b>	89 dB
<b>Nennimpedanz (Ohm)</b>	4
<b>Hochtöner</b>	Aluminium-Bändchen
<b>Mitteltöner</b>	170 mm Ø Titanium-PP
<b>Tieftöner</b>	2x 170 mm Ø Titanium-PP

## Gewicht & Abmessungen

<b>Produkt-Maße (HxBxT)</b>	112 x 23,2 x 37,9 cm
<b>Karton-Maße (HxBxT)</b>	124,5 x 37,5 x 49,5 cm
<b>Netto-Gewicht</b>	29 kg
<b>Brutto-Gewicht</b>	32,98 kg